

## PRICELIST SEVEN MODEL YEAR 2024 - BASED ON CHASSIS S3

| Total Microsoft Supplemental Su |  | 170                           | 340                     | 485                 |
|--|--|-------------------------------|-------------------------|---------------------|
| TECH-<br>NIC   | Petrol engine; capacity in ccm / cylinders   | 660 / 3                       | 1999 / 4                | 1999 / 4            |
|  | Performance in bhp at rev/min.   | 84 / 7000                     | 185* / 7250             | 240 / 8500          |
| BASICPRICE INCL.<br>SWISS TECHNIC<br>PACK  | Fully assembled car including insured transport into Switzerland: built by Caterham Cars including following options: delivery service to Kumschick standards, emission control, document pocket, brake discs painted in black, optimised operating and ventilation of clutch, optimized ducts to master cylinder, optimised brakefluid container, corrected illumination of rear registration plate, wheel alignment, interior mirror replaced to the right side, Nose/hood levelling for heat compensation, battery charger including 12V connector.  485: Shortening of exhaust protector, improved airbox mount, clearcoating front wings.  Included in the basic price are the extra costs for this add value per model:  1'600/2'880/ 3'560  Included our share of Swiss CO2 emissions fees:  930/2'000/ 3'400 | 44200                         | 56500                   | 75100<br>TBC        |
| Z  | Additional charge for wide body (SV) length +15 cm, width +11 cm, more storage space   |                               | 3020                    | 3320                |
| EXECUTION  | Additional charge for 485 CSR version: Including stronger and larger chassis, inside suspension system front, independent suspension rear, bigger breaksystem rear with alloy- caliper, stronger limited slip differential, CSR spoke wheels with semi slick Avon ZZS 7/9x15 - 195/50 R 15 and 245/40 R 15, lowered chassis, aerodynamic front wings, front aerofoil wishbones, central located drysump oil tank, high level rear brakelight   |                               |                         | 10900               |
| SWISS<br>OPTIC<br>PACK   | White LED turn signals front, GT-mirrors black, crash optimized wings mount, extreme restistant & large film protection on rear fenders, tailored luxury carpets.  |                               | 1200                    | 1200                |
| S<br>PACK  | Leather seats, heater, full body paintwork in standard paint, carpeted interior, aluminium shift knob with S-Logo, LED rear lights.  170: 14" alloys Juno silver, Windscreen heated, wiper system, hood, doors.  340: 14" alloys Classic silver, Windscreen heated, wiper system, hood, doors.  485: wide track front suspension, stronger anti roll bar front & rear (adjustable), Watts linkage rear suspension  | standart                      | standart                | standart            |
| R<br>PACK  | 170: carbon effect center console, carbon dashboard, race seats black (option 4-Pt. Schroth required), black pack, LED shift lights on dashboard, LED rear lights, aeroscreen black, 14" alloys Juno black, limited slip differential, sport suspension, lightwheigt flywheel. 340: carbon effect center console, carbon dashboard, race seats black, black pack (option 4-Pt. Schroth required), LED rear light, aeroscreen black, 15" alloys Orcus silver, limited slip differential, sport suspension. 485: Material of carbon effect on seats, center console, boot cover; half sidescreens, lowered suspension with adjustable race-dampers, front aerofoil wishbones, Apollo 13" alloys 6/8x13, LED shift lights on dashboard (Race Pack not for CSR)  | 1480                          | 1480                    | 5750                |
| RT   | Limited slip differential (170, 340: S-Pack/R-Pack) 13" alloy wheels Apollo 8 spoke black or silver (340: S-Pack/R-Pack) 14" alloy wheels Juno black (170: S-Pack/R-Pack)  | 1260 / std.<br><br>120 / Std. | 1470/ std.<br>780 / 410 | standart<br>630<br> |
| PO   | 15" alloy wheels Orcus black, antracite, silver (340: S-Pack/R-Pack, silver incl. In R-Pack)   |                               | 670/110                 | 130                 |
| CLUBSPORT  | Ventilated brake discs / 4-piston front brake caliper / CSR: bigger breaksystem rear with alloy- caliper   |                               | 890                     | standart            |
| CLL  | FIA trackday roll bar (including cross reinforcement inside)   | 440                           | 440                     | 500                 |
|  | Nitron suspension (hardness adjustable incl. registration) NTR R1/ NTR R3  |                               | 3430 / 6420             | 3430 / 6420         |
|  | Sport suspension: wide track, rear anti roll bar (170, 340: S-Pack/R-Pack)   | 390/ std.                     | 890 / std.              |                     |

KUMSCHICK SPORTS CARS AG, LUZERNERSTRASSE 57, 6247 SCHÖTZ +41 41 980 05 80 - sales@kumschick.ch





## PRICELIST SEVEN MODEL YEAR 2024 - BASED ON CHASSIS S3

| AOE IN GREA                  |   | 170                   | 340         | 485      |
|------------------------------|---|-----------------------|-------------|----------|
| EXTERIOR                     | Windscreen heated, wiper system, hood, doors (170, 340: S-Pack / R-Pack)  | std. / 1770           | std. / 1770 | 1950     |
|                              | Side wind deflectors extra bent with bag  | 290                   | 290         | 290      |
|                              | Front wings in Carbon fibre incl. Clearcoating  | 1210                  | 1250        | standart |
|                              | Front wings 485 CSR in Carbon fibre incl. Clearcoating  |                       |             | 1350     |
|                              | Rear wings in Carbon fibre incl. Clearcoating   | 1560                  | 1700        | 1800     |
|                              | Nose in Carbon fibre (S3 only)  | 830                   | 830         | 910      |
|                              | Black pack: frame for windscreen and headlamp shells in black (170, 340: S-Pack/R-Pack)   | 400 / std.            | 440 / std.  | standart |
|                              | High intensity lights   | 1030                  | 1030        | 1120     |
|                              | Leather seats black (170, 340: S-Pack/R-Pack)   | std. / 220            | std. / 220  | standart |
|                              | Heater (170, 340: S-Pack/R-Pack)  | std. / 390            | std. / 390  | standart |
|                              | Removable steering wheel  | 260                   | 260         | 290      |
|                              | Momo-Alcantara steering Wheel   | 200                   | 200         | 220      |
| ~                            | LED shift lights on dashboard (485: inkl. Bei R-Pack)   |                       | 390         | 430      |
| 92                           | Material of carbon effect on seats, center console, boot cover. (485: including tonneau cover and half sidescreens)   |                       | 660         | 2420     |
| INTERIOR                     | Lowered floors 35 mm  | 670                   | 670         | 730      |
| $ $ $\leq$                   | Carbon-look race seats (size S3 / SV) with Alcantara trim, incl. more seating space. (170, 340: S-Pack/R-Pack)  | 1100 / 1420           | 1100 / 1420 | 1665     |
|                              | 4 point harness Schroth with simple handling; prevents slipping (security)  | 730                   | 730         | 730      |
| '                            | Dashboard in Carbon (170, 340: S-Pack/R-Pack)   | 440 / std.            | 440 / std.  | standart |
|                              | Side screen armrests  |                       | 170         | 170      |
|                              | Carpet trim on the seat back panel in the trunk and on center console (170, 340: S-Pack/R-Pack)   | std. / 170            | std. / 220  | 250      |
|                              | Parts in Aluminium unpainted; nose and wings colored in Caterham standard colors: yellow, green, black, red   | standart              | standart    | standart |
|                              | Full paint in any standard colour   | standart              | standart    | standart |
| PAINT                        | Full paint in premium colour  | 1090                  | 1090        | 1200     |
| PA                           | Full paint in exclusive colour  | 1390                  | 1390        | 1530     |
|                              | Double-Stripes on nose, bonnet and paneaux; any colour  | 800                   | 800         | 800      |
|                              | Side-Stripes; any colour  | 600                   | 600         | 600      |
|                              | Mandatory delivery fee including technical expertise (MOT), full fuel tank, vignette, emergency triangle, security vest, deluxe holder for interchangeable plates, cleaning   | 480                   | 480         | 480      |
| <b>≻</b>                     | 24 months or 19'600km limitation (whichever comes first) factory warranty by Caterham   |                       | inclusive   |          |
| WARRANTY<br>MAINTEN-<br>ANCE | 1st service at 1'600 km, max. 1 year  | inclusive             |             |          |
|                              | Servicing intervalls  | 1 year, max. 10'000km |             |          |
|                              | Take advantage of the unique resale value of a Caterham Seven. We will advise you and make you an individual leasing-/ financial-offer. Kumschick Sports Cars AG, your official Caterham Importer for Switzerland since 1978. |                       |             |          |

KUMSCHICK SPORTS CARS AG, LUZERNERSTRASSE 57, 6247 SCHÖTZ +41 41 980 05 80 - sales@kumschick.ch kumschick.ch





## PRICELIST SEVEN MODEL YEAR 2024 - BASED ON CHASSIS S3

| <sup>OE</sup> <sup>IN</sup> GREA | OF W GEAT OFF  |                    | 340                | 485                         |
|----------------------------------|--|--------------------|--------------------|-----------------------------|
| DRIVE /<br>TRANSMISSION          | Engine: capacity in ccm / no. of cylinders / type  | 660 / 3<br>Suzuki  | 1999 / 4<br>Ford   | 1999 / 4 Ford<br>Motorsport |
|                                  |  | Turbo              | Duratec            |                             |
|                                  | Dry Sump Oil System  |                    |                    | Serie                       |
| l°≸                              | Exhaust Location   | left side          | right side         | right side                  |
| ᄩ                                | Gearbox  | 5 speed            | 5 speed            | 5 speed                     |
|                                  | Wheel dimensions / material (LM = light alloy wheels) standard in silver                                   | 14 x 4.5"/ LM      | 15 x 6.5"/ LM      | 15 x 6.5"/ LM               |
| _                                | Rear axle (CSR: independent suspension rear axle)  | rigid axle         | De-Dion W.         | De-Dion W.                  |
| NO S                             | Front axle: double wishbone (CSR: with internal suspension front)  | standart           | standart           | standart                    |
| SUSPENSION ,<br>WHEELS           | Roll bars (340: S-Pack/R-Pack)   | front              | f./f.+r.           | front+rear                  |
|                                  | Adjustable wide track suspensions (340: S-Pack/R-Pack)   |                    | opt./std.          | standart                    |
| Sus<br>V                         | Wide track front (340: S-Pack/R-Pack)  |                    | opt./std.          | standart                    |
| "                                | Ventilated brake discs / 4-piston front brake caliper (CSR: bigger breaksystem rear with alloy- caliper)   |                    | optional           | standart                    |
|                                  | Drive  | rear               | rear               | rear                        |
|                                  | Black fabric seats   |                    |                    |                             |
| EQUIP-<br>MENT                   | Black leather seats  | standart           | standart           | standart                    |
| 입물                               | Roll over bar  | standart           | standart           | standart                    |
|                                  | Heater (170, 340: S-Pack/R-Pack)   | std. / opt.        | std. / opt.        | standart                    |
|                                  | Empty weight in kg without driver, gasoline (S3/SV/CSR)  | 465                | 545 / 565          | 545/565/585                 |
| l St                             | Fuel capacity liter S3/ SV   | 36                 | 36 / 41            | 36 / 41                     |
|                                  | Acceleration 0-100 km/h in sec.  | 6.9                | 4.8                | 3.5                         |
| SPECIFICATIONS /<br>DIMENSIONS   | Max. power (bhp/rpm)   | 84 / 7000          | 185* / 7250        | 240 / 8500                  |
| 문                                | Max. torque (Nm/rpm)   | 116 / 3400         | 180* / 6500        | 206 / 6300                  |
| 급                                | Top speed in km/h  | 160                | 209                | 240                         |
| SP                               | Dimensions S3 (small version) length / width / height in mm  | 3150 / 1470 / 1090 | 3180 / 1575 / 1090 | 3180 / 1575 / 1090          |
|                                  | Dimensions SV - CSR (big version) length / width / height in mm  |                    | 3350 / 1685 / 1115 | 3350 / 1685 / 1115          |
| \ \ \ \ \ \                      | Fuel consumption combined in I/100km   | 4.8                | 6.5                | 8.5                         |
| CONSUMP-<br>TION /<br>EMISSIONS  | CO2 emissions in g/km  | 109                | 148                | 191                         |
|                                  | CO2 emissions from fuel production in g/km   | 25                 | 35                 | 45                          |
|                                  | Energy efficiency categorie  | В                  | D                  | F                           |
|                                  | CO2: Average of all passenger cars sold in Switzerland according to WLTP: 122gr./km. Target value: 118g/km |                    |                    |                             |

<sup>\*</sup> Power measured with petrol Octan 98 (standard specification 173PS/ 174Nm)

KUMSCHICK SPORTS CARS AG, LUZERNERSTRASSE 57, 6247 SCHÖTZ +41 41 980 05 80 - sales@kumschick.ch kumschick.ch

